

2020 PRODUCT CATALOG

**PASSENGER & LIGHT TRUCK TYRES
EUROPE**



THE RHINO HITS THE ROADS. **AGAIN.**

It's been little over a century since Armstrong Tyre first began its operation in a tiny loft in New Jersey. Since then, there has been an enormous change in the automobile and rubber industries, and, as the landscape has evolved, so have we. But amidst the twists and turns of a shifting terrain, the definition of Armstrong remains the same: premium products produced by quality-minded people.

Today, newly re-engineered, the Armstrong brand stands poised once more for international recognition. With a brand new manufacturing facility that integrates state-of-the-art technology and seamless production practices, the next generation of Armstrong tyres have been constructed with precision and craftsmanship, staying true to it's legacy.

Our long-term vision is to shake up the tyre landscape by offering a premium yet value-driven experience across all segments of tyres, be it passenger, light truck, commercial or agricultural. We want our users to be as proud to be a part of the next generation of Armstrong tyres as we are, and to us that is the greatest measure of success.

A BRIEF RIDE THROUGH HISTORY

After a decade of promising growth, **Armstrong purchases a small tyre manufacturing concern** in New Haven, Connecticut.

1912 ←

A tyre dealer in New Jersey by the name of **George F. Armstrong** enters the tube & pneumatic tyre industry in a tiny loft.

→ 1922

1961 ←

Armstrong became the **fifth largest tyre maker** in the world, and ranked amongst the Fortune 500 companies.

Armstrong introduced the **first bias-belted fiberglass tyre**, one of many inventions.

→ 1965

1970 ←

The **Armstrong Rubber Company** moved into its **\$7 million headquarters** designed by renowned architect Michael Brauer in New Haven, Connecticut.

Armstrong achieved a **record sales volume worth \$1 Billion**.

→ 1986

1988 ←

Armstrong was acquired by Pirelli S.p.A, becoming Pirelli Armstrong Tyre Corporation.

Pirelli phases out the Armstrong brand in the latter half of the 1990's

→ 1990

2012 ←

Newly reengineered, the **Armstrong brand returns to the tyre industry as an independent entity**.

Newly reengineered, the Armstrong brand returned to the tyre industry, continuing the Armstrong legacy of making **premium products by quality-minded people**.

→ 2015

2019 ←

Armstrong launched in **Europe**

WHY ARMSTRONG?

VALUE-DRIVEN PRICING PROGRAM

Our unique pricing program was designed with our dealers in mind and is positioned to increase your profit margins so you can easily grow your business and stay competitive in today's modern tyre industry.



RECOGNIZABLE NAME WITH A RICH LEGACY

The Armstrong name was once a household name listed as a Fortune 500 company and the 5th largest tyre manufacturer in the world. We aim to restore Armstrong's legacy and solidify its place in the tyre industry.

DISTRIBUTION PROGRAM

Our tyres are manufactured in our state-of-the-art factory just outside Bangkok, Thailand and are distributed all over the world.



A STELLAR SUITE OF SELL-OUT SUPPORT

Armstrong dealers receive sell-out support including training resources, marketing programs, and access to our Dealer Portal so you have all the sales tools you need at your fingertips.

A WARRANTY DESIGNED FOR SELLING

Armstrong's built-to-last warranty includes a two-year road hazard coverage, mileage warranty up to 75,000 kilometers, and a 30-day money back guarantee.



TUFF 360

At Armstrong, we value craftsmanship and precision. Our tyres aren't just black and round.

We used our century's worth of experiences combined with the latest technology in the industry to create the best tyre we could today. All Armstrong tyres are covered by our TUFF 360 warranty – the most comprehensive warranty in the industry inspired by our mascot, TUFFY the Rhino. TUFFY is tough, savvy, and resilient.

– he doesn't shy away from the potholes of the world, and neither should you.

TUFF 360 WARRANTY OVERVIEW



6 YEAR LIMITED
WARRANTY

WORKMANSHIP & MATERIALS
WARRANTY FOR UP TO **SIX**
YEARS.



ROAD HAZARD
REPLACEMENT
PROGRAM

**TWO-YEAR ROAD HAZARD
PROTECTION** INCLUDING
REIMBURSEMENTS FOR FLAT
TYRE REPAIR AND FLAT TYRE
CHANGE ASSISTANCE.



WORN TREAD
REPLACEMENT

MILEAGE WARRANTY UP TO
75,000 KILOMETERS.



30 DAYS MONEY BACK,
NO QUESTIONS ASKED

**30-DAY MONEY BACK
GUARANTEE, NO
QUESTIONS ASKED.**

For more details, please visit armstrongtyres.com/tuff-360

An aerial photograph of a red car driving on a two-lane asphalt road that curves through a dense, green forest. The road has white dashed lines. The surrounding area is covered in thick, low-lying green vegetation. A red banner is overlaid on the left side of the image, containing the text "ARMSTRONG SUMMER TYRES" in white.

ARMSTRONG
SUMMER TYRES

BLU-TRAC PC



Armstrong Tyre's next generation of passenger tyres features a symmetric tread design, chamfered edges, dynamic inner ribs, and a self-locking sipes system to deliver prolonged tyre life and a smooth, confident ride. It's all about craftsmanship and quality.

TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



75K MILEAGE
WARRANTY



30 DAYS MONEY
BACK, NO
QUESTIONS ASKED



SYMMETRIC TREAD DESIGN

leads to smoother rolling on the road and even tread wear throughout the tyre's lifespan



DYNAMIC INNER RIBS

reduce road noise and improve ride comfort



SELF-LOCKING SIPES SYSTEM

ensures exceptional water evacuation to enhance road traction and braking of the vehicle



CHAMFERED EDGES





of the lateral grooves reduce rolling resistance and increase tread rigidity

BLU-TRAC PC / PASSENGER / M+S													
RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX / SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
13	80	155/80R13	79T	437	44	4.5	160	573	7.4	E	C	70	
	70	145/70R13	71T	345	44	4.5	153	530	7.7	E	C	70	
		155/70R13	75T	387	44	4.5	157	548	7.5	E	C	70	
		165/70R13	79T	437	44	5.0	171	557	7.5	E	C	70	
		175/70R13	82T	475	44	5.0	176	572	7.5	E	C	70	
		155/65R13	73T	365	44	4.5	157	529	7.5	E	C	70	
14	65	165/65R13	77T	412	44	5.0	173	542	7.6	E	C	70	
		165/70R14	81T	462	44	5.0	171	588	7.5	E	C	70	
	70	175/70R14	88T XL	560	50	5.0	175	599	7.3	E	C	71	
		185/70R14	88T	560	44	5.5	192	616	7.5	E	C	70	
		185/70R14	88H	560	44	5.5	192	616	7.5	E	C	70	
		195/70R14	91T	615	44	6.0	203	630	7.5	E	C	71	
		195/70R14	95H XL	690	50	6.0	203	630	7.5	E	C	72	
	65	155/65R14	75T	387	44	4.5	157	555	7.5	E	C	70	
		165/65R14	79T	437	44	5.0	172	570	7.5	E	C	70	
		175/65R14	86T XL	530	50	5.0	180	584	7.5	E	C	71	
		175/65R14	82H	475	44	5.0	180	584	7.5	E	C	70	
		185/65R14	86H	530	44	5.5	188	596	7.3	E	C	70	
	60	185/65R14	90H XL	600	50	5.5	188	596	7.3	E	C	71	
		165/60R14	75H	387	44	5.0	171	553	7.7	E	C	70	
		185/60R14	82H	475	44	5.5	188	574	7.4	E	C	70	
		205/70R15	96H	710	44	6.0	212	669	7.4	E	C	71	
15	70	205/70R15	100H XL	800	50	6.0	212	669	7.4	E	C	72	
		215/70R15	98H	750	44	6.5	221	683	7.7	E	C	71	
		175/65R15	84H	500	44	5.0	179	606	7.6	E	C	70	
	65	185/65R15	88T	560	44	5.5	189	621	7.3	E	C	70	
		185/65R15	92H XL	630	50	5.5	189	621	7.3	E	C	71	
		195/65R15	91H	615	44	6.0	201	635	7.4	E	C	71	
		195/65R15	95H XL	690	50	6.0	201	635	7.4	E	C	72	
		195/65R15	91V	615	44	6.0	201	635	7.4	E	C	71	
		205/65R15	94H	670	44	6.0	208	645	7.5	E	C	71	
		205/65R15	99H XL	775	50	6.0	208	645	7.5	E	C	72	
		205/65R15	94V	670	44	6.0	208	645	7.5	E	C	71	
	60	175/60R15	81H	462	44	5.0	181	590	8.0	E	C	70	
		185/60R15	88H XL	560	50	5.5	186	601	8.0	E	C	71	
		195/60R15	88H	560	44	6.0	201	615	7.6	E	C	71	
		195/60R15	88V	560	44	6.0	201	615	7.6	E	C	71	

BLU-TRAC PC / PASSENGER / M+S

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX/ SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
16	65	205/65R16	95V	690	44	6.0	208	672	8.6	E	C	71	
		215/65R16	98H	750	44	6.5	221	683	7.6	E	C	71	
		215/65R16	102H XL	850	50	6.5	221	683	7.6	E	C	72	
		215/65R16	98V	750	44	6.5	221	683	7.6	E	C	71	
		235/65R16	103T	875	44	7.0	238	709	7.7	E	C	71	
		235/65R16	103H	875	44	7.0	238	709	7.7	E	C	71	
		235/65R16	107H XL	975	50	7.0	238	709	7.7	E	C	72	
	60	205/60R16	92H	630	44	6.0	205	650	7.5	E	C	71	
		205/60R16	92V	630	44	6.0	205	650	7.5	E	C	71	
		215/60R16	95H	690	44	6.5	218	663	7.7	E	C	71	
		215/60R16	99V XL	775	50	6.5	218	663	7.7	E	C	72	
		225/60R16	98H	750	44	6.5	228	673	7.7	E	C	71	
		225/60R16	102V XL	850	50	6.5	228	673	7.7	E	C	72	
		235/60R16	100V	800	44	7.0	240	686	8.0	E	C	71	
	55	205/55R16	91H	615	44	6.5	210	632	7.4	E	C	71	
		205/55R16	94V XL	670	50	6.5	210	632	7.4	E	C	72	
17	65	215/65R17	99H	775	44	6.5	220	714	7.6	E	C	71	
		215/65R17	99V	775	44	6.5	220	714	7.6	E	C	71	
	60	225/60R17	99H	775	44	6.5	229	705	8.1	E	C	71	
		225/60R17	99V	775	44	6.5	229	705	8.1	E	C	71	

BLU-TRAC PC – TEST RESULTS



BLU-TRAC HP



Armstrong Tyre's next generation of Ultra High Performance tyres features a combination of four circumferential wide grooves and sub straight grooves, an innovative silent groove wall, and a variety of sipe designs for some extra grip, precision, and handling. It's our formula for a groovy ride.

TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



50K MILEAGE
WARRANTY



30 DAYS MONEY
BACK, NO
QUESTIONS ASKED



FOUR CIRCUMFERENTIAL WIDE GROOVES

work in conjunction with the lateral grooves to evacuate water rapidly leading to improved handling and traction



VARIOUS SIPE DESIGNS

distributed on the inner ribs creates extra gripping surfaces for enhanced safety and ride comfort



SUB-STRAIGHT GROOVES

in the outer shoulders improves cornering precision and stability



INNOVATIVE SILENT GROOVE WALL




disturbs the air flow through vertical serrations to reduce outer noise

BLU-TRAC HP / ULTRA HIGH PERFORMANCE / M+S													
RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX / SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
14	55	185/55R14	80H	450	44	6.0	193	558	7.8	E	A	70	
15	55	185/55R15	82V	475	44	6.0	194	585	8.1	E	A	70	
		195/55R15	85V	515	44	6.0	202	594	7.8	E	A	71	
16	50	195/50R15	86V XL	530	50	6.0	198	576	8.0	E	A	71	
	55	195/55R16	91V XL	615	50	6.0	202	620	7.8	E	A	72	
17	55	205/55R16	94W XL	670	50	6.5	214	632	7.3	E	A	72	
		205/55R16	91Y	615	44	6.5	214	632	7.3	E	A	71	
18	55	215/55R16	97W XL	730	50	7.0	226	638	7.5	E	A	72	
		215/55R16	97Y XL	730	50	7.0	226	638	7.5	E	A	72	
19	55	225/55R16	99W XL	775	50	7.0	232	651	7.5	E	A	72	
		225/55R16	99Y XL	775	50	7.0	232	651	7.5	E	A	72	
20	50	195/50R16	88V XL	560	50	6.0	198	603	8.1	E	A	71	
		205/50R16	91W XL	615	50	6.5	208	611	7.6	E	A	72	
21	50	205/50R16	87Y	545	44	6.5	208	611	7.6	E	A	71	
		225/50R16	92W	630	44	7.0	233	631	7.9	E	A	71	
22	45	195/45R16	84V XL	500	50	6.5	195	583	7.9	E	A	71	
		205/45R16	87W XL	545	50	7.0	206	589	7.7	E	A	71	
23	60	215/60R17	96H	710	44	6.5	220	689	8.1	E	A	71	
		215/55R17	98W XL	750	50	7.0	225	671	7.5	E	A	72	
24	55	215/55R17	94Y	670	44	7.0	225	671	7.5	E	A	71	
		225/55R17	101W XL	825	50	7.0	229	683	7.5	E	A	72	
25	55	225/55R17	101Y XL	825	50	7.0	229	683	7.5	E	A	72	
		235/55R17	103W XL	875	50	7.5	246	689	7.6	E	A	72	
26	50	205/50R17	93W XL	650	50	6.5	213	642	7.5	E	A	72	
		205/50R17	93Y XL	650	50	6.5	213	642	7.5	E	A	72	
27	50	215/50R17	95W XL	690	50	7.0	219	648	7.5	E	A	72	
		215/50R17	95Y XL	690	50	7.0	219	648	7.5	E	A	72	
28	50	225/50R17	98W XL	750	50	7.0	226	658	7.6	E	A	72	
		225/50R17	98Y XL	750	50	7.0	226	658	7.6	E	A	72	
29	45	205/45R17	88W XL	560	50	7.0	206	615	7.8	E	A	72	
		215/45R17	91W XL	615	50	7.0	213	627	7.5	E	A	72	
30	45	215/45R17	91Y XL	615	50	7.0	213	627	7.5	E	A	72	
		225/45R17	94Y XL	670	50	7.5	226	639	7.5	E	A	72	
31	45	235/45R17	97W XL	730	50	8.0	235	645	7.5	E	A	72	
		235/45R17	97Y XL	730	50	8.0	235	645	7.5	E	A	72	
32	45	245/45R17	99W XL	775	50	8.0	243	652	7.4	E	A	72	
		205/40R17	84Y XL	500	50	7.5	211	598	7.4	E	A	72	
33	40	215/40R17	87W XL	545	50	7.5	218	608	8.0	E	A	71	
		245/40R17	95W XL	690	50	8.5	246	628	7.6	E	A	72	

BLU-TRAC HP / ULTRA HIGH PERFORMANCE / M+S

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX/ SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
18	60	225/60R18	100H	800	44	6.5	234	726	8.0	E	A	71	
	50	235/50R18	101W XL	825	50	7.5	242	694	7.9	E	A	72	
	45	225/45R18	95W XL	690	50	7.5	225	662	7.5	E	A	72	
		225/45R18	95Y XL	690	50	7.5	225	662	7.5	E	A	72	
		235/45R18	98W XL	750	50	8.0	235	669	7.6	E	A	72	
		245/45R18	100W XL	800	50	8.0	243	678	7.5	E	A	72	
		245/45R18	100Y XL	800	50	8.0	243	678	7.5	E	A	72	
		255/45R18	103W XL	875	50	8.5	254	687	7.6	E	A	72	
	40	225/40R18	92Y XL	630	50	8.0	230	637	7.5	E	A	72	
		235/40R18	95W XL	690	50	8.5	242	646	7.7	E	A	72	
		245/40R18	97W XL	730	50	8.5	248	654	7.5	E	A	72	
		245/40R18	97Y XL	730	50	8.5	248	654	7.5	E	A	72	
	35	255/35R18	94W XL	670	50	9.0	260	633	7.7	E	A	72	
19	45	245/45R19	102Y XL	850	50	8.0	243	710	7.6	E	A	72	
	40	245/40R19	98Y XL	750	50	8.5	248	688	7.6	E	A	72	
	35	225/35R19	88W XL	560	50	8.0	230	642	7.6	E	A	72	
		235/35R19	91W XL	615	50	8.5	241	649	7.7	E	A	72	
		245/35R19	93W XL	650	50	8.5	248	657	7.6	E	A	72	
		255/35R19	96W XL	710	50	9.0	257	660	7.5	E	A	72	
20	35	225/35R20	93Y XL	650	50	8.0	226	676	7.5	E	A	72	
		245/35R20	95Y XL	690	50	8.5	248	682	7.6	E	A	72	

BLU-TRAC HP – TEST RESULTS



TRU-TRAC SU



Staying true to the Armstrong Tyre TRU-TRAC legacy, the next generation of SUV tyres features specially engineered cross-linked sipes, shoulder bottom base, a stiff sidewall construction and wide footprint to deliver a smooth, safe, and stable ride. It's our take on SUV: A Safe, Ultimate, Reliable ride.

TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



50K MILEAGE
WARRANTY



30 DAYS MONEY
BACK, NO
QUESTIONS ASKED



SPECIALLY ENGINEERED CROSS-LINKED SIPES

on the inner ribs reduce rolling resistance and increase wet grip



WIDE FOOTPRINT

provides overall driving safety and stability



SPECIALY CRAFTED ASYMMETRICAL TREAD DESIGN

and 4 circumferential grooves offer outstanding cornering stability, precise steering and enhanced wet traction






BLOCKS AND SHOULDER BOTTOM BASE

retains continuity by reducing wriggling of blocks and deformation

TRU-TRAC SU / SPORT UTILITY VEHICLE / M+S

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX / SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
18	60	235/60R18	107W XL	975	50	7.0	241	738	8.0	C	B	72	
		265/60R18	110V	1060	44	8.0	272	775	8.6	C	B	72	
		265/60R18	114V XL	1180	50	8.0	272	775	8.6	C	B	72	
	55	215/55R18	99V XL	775	50	7.0	224	695	8.2	C	B	72	
		225/55R18	98V	750	44	7.0	232	706	8.1	C	B	71	
		235/55R18	104W XL	900	50	7.5	242	715	7.7	C	B	72	
		235/55R18	104Y XL	900	50	7.5	242	715	7.7	C	B	72	
		255/55R18	109W XL	1030	50	8.0	263	737	9.2	C	B	72	
		255/55R18	109Y XL	1030	50	8.0	263	737	9.2	C	B	72	
		225/55R19	99V	775	44	7.0	233	732	8.0	C	B	71	
19	55	235/55R19	105V XL	925	50	7.5	245	742	7.8	C	B	72	
		255/50R19	107W XL	975	50	8.0	256	739	8.0	C	B	72	
		255/50R19	107Y XL	975	50	8.0	256	739	8.0	C	B	72	
	50	225/45R19	96W XL	710	50	7.5	229	687	7.6	C	B	72	
		275/60R20	115H	1215	44	8.0	277	838	10.4	C	B	72	
	55	275/55R20	117V XL	1285	50	8.5	284	811	8.4	C	B	72	
		275/55R20	117W XL	1285	50	8.5	284	811	8.4	C	B	72	
		265/50R20	111V XL	1090	50	8.5	276	776	7.8	C	B	72	
		265/45R20	108Y XL	1000	50	9.0	265	750	7.4	C	B	72	
		275/45R20	110W XL	1060	50	9.0	273	756	7.9	C	B	72	
		275/45R20	110Y XL	1060	50	9.0	273	756	7.9	C	B	72	
		275/45R20	110Y XL	1060	50	9.0	273	756	7.9	C	B	72	
20	40	275/40R20	106Y XL	950	50	9.5	275	733	7.4	C	B	72	

TRU-TRAC SU – TEST RESULTS





ARMSTRONG
VAN TYRES

BLU—TRAC VAN



Armstrong Tyre's brand new LTRC tyre features optimized tread design, advanced tread compound and wide straight grooves for quiet and comfortable rides and great traction.

TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



50K MILEAGE
WARRANTY




30 DAYS MONEY
BACK, NO
QUESTIONS ASKED



OPTIMIZED TREAD DESIGN

generates less noise for quiet & comfortable ride



ADVANCED TREAD COMPOUND

provides great traction on wet & dry roads with improved mileage for increased fuel efficiency



WIDE STRAIGHT GROOVES

reducing aquaplaning on wet roads, provides great handling

BLU-TRAC VAN / LTRC

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX/ SPEED SYMBOL	PR	MAXIMUM LOAD (KGS)		MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
					SINGLE	DUAL	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
14	70	165/70R14C	89/87R	6	580	545	54	5.0	170	588	8.0	E	A	67	
	65	175/65R14C	90/88T	6	600	560	54	5.0	177	584	9.0	E	A	67	
15	70	195/70R15C	104/102R	8	900	850	65	6.0	201	655	10.0	C	A	67	
		225/70R15C	112/110R	8	1120	1060	65	6.5	228	697	10.0	C	A	67	
16	75	185/75R16C	104/102S	8	900	850	69	5.0	184	684	9.5	C	A	67	
		195/75R16C	107/105S	8	975	925	69	5.5	196	698	9.5	C	A	67	
	65	195/65R16C	104/102T	8	900	850	69	6.0	201	660	9.0	C	A	67	
		205/65R16C	107/105T	8	975	925	69	6.0	209	672	9.0	C	A	67	
		215/65R16C	109/107T	8	1030	975	69	6.5	221	686	10.0	C	A	67	
	65	225/65R16C	112/110T	8	1120	1060	69	6.5	228	698	10.0	C	A	67	
		235/65R16C	121/119R	10	1450	1360	69	7.0	240	712	10.0	C	A	67	

ARMSTRONG
ALL SEASON TYRES

BLU-TRAC PC FLEX



Armstrong Tyre's next generation of high-performance all-season tyres features an extra-wide tread, fusion of summer and winter sipes, unique v-shaped tread pattern and a special mixture of compounds to maximize traction and increase fuel efficiency. Because, season change, performance doesn't.



TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



50K MILEAGE
WARRANTY



30 DAYS MONEY
BACK, NO
QUESTIONS ASKED




EXTRA WIDE TREAD

provides a consistent footprint to maximize traction in balance with tread life



FUSION OF SUMMER & WINTER SIPES

leading to effective dry braking & great snow traction



UNIQUE V-SHAPED TREAD PATTERN

with innovative grooves for excellent water draining for better "all season" performance



SPECIAL MIXTURE OF COMPOUNDS

distributed on the inner ribs creates extra gripping surfaces for enhanced safety and ride comfort



BLU-TRAC PC FLEX / PASSENGER / ALL SEASON / M+S

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX / SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
14	65	175/65R14	86H XL	530	44	5.0	177	584	7.5	C	C	70	
15	65	185/65R15	88H	560	44	5.5	189	621	7.5	C	C	70	
		195/65R15	91V	615	44	6.0	201	635	7.9	C	C	70	
16	60	205/60R16	96V XL	710	44	6.0	209	652	7.9	C	C	70	
	55	205/55R16	94V XL	670	44	6.5	214	632	7.5	C	C	70	
		215/55R16	97V XL	730	44	7.0	226	642	7.9	C	C	70	
		225/55R16	99V XL	775	44	7.0	233	654	7.9	C	C	70	
17	55	205/55R17	95V XL	690	44	6.5	214	658	7.5	C	C	70	
	50	225/50ZR17	98W XL	750	44	7.0	233	658	7.5	C	C	70	
	45	225/45ZR17	94W XL	670	44	7.5	225	634	7.9	C	C	70	
		235/45ZR17	97W XL	730	44	8.0	236	644	7.9	C	C	70	
18	40	225/40ZR18	92Y XL	630	44	8.0	230	637	7.5	C	C	70	

TRU-TRAC SU FLEX



Armstrong Tyre's next generation of all-season SUV tyres feature specifically engineered tread profile, augmented asymmetrical tread pattern, inner zig-zag groove with an optimal density of siping for remarkable all-season performance and increased tyre service life. It's a tyre where the weather meets its match.

TUFF 360 Warranty



6 YEAR
LIMITED
WARRANTY



ROAD HAZARD
REPLACEMENT
PROGRAM



35K MILEAGE
WARRANTY



30 DAYS MONEY
BACK, NO
QUESTIONS ASKED




SPECIALLY ENGINEERED TREAD PROFILE

resists irregular wear to provide long-lasting tyre life & durability




AUGMENTED ASYMMETRICAL TREAD PATTERN

combines the best of summer & winter tread design to produce remarkable all-season performance



INNER ZIG-ZAG GROOVE

with multiple biting edges provides confident grip in all types of challenging conditions across seasons to deliver enhanced safety



OPTIMAL DENSITY OF SIPING

inner tread: winter sipes increase the area of traction surfaces for enhanced grip outer tread: summer sipes provide optimum handling & stability



TRU-TRAC SU FLEX / SPORT UTILITY VEHICLE / ALL SEASON / M+S

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX / SPEED SYMBOL	MAXIMUM LOAD	MAX. INFLATION PRESSURE	RIM WIDTH	SECTION WIDTH	OVERALL DIAMETER	TREAD DEPTH	EU LABELING RATINGS			
				KGS	PSI	INCHES	MM	MM	MM	RR	WG	NOISE (DB)	GRADE
15	65	215/65R15	96H	710	51	6.5	221	661	7.5	C	E	71	
16	70	225/70R16	103S	875	51	6.5	228	722	8.3	C	E	71	
		235/70R16	106T	950	51	7.0	240	736	8.3	C	E	71	
		265/70R16	112H	1120	51	8.0	272	778	8.3	C	E	71	
		215/65R16	102V XL	850	51	6.5	221	686	7.5	C	E	71	
		235/60R16	100H	800	51	7.0	240	688	7.5	C	E	71	
17	65	225/65R17	102H	850	51	6.5	228	724	8.3	C	E	71	
	65	235/65R17	104H	900	51	7.0	240	738	8.3	C	E	71	
	60	215/60R17	100H XL	800	51	6.5	221	690	7.5	C	E	71	
	55	235/55R17	103H XL	875	51	7.5	245	690	7.5	C	E	71	
18	60	235/60R18	107V XL	975	51	7.0	240	739	7.5	C	E	71	
	55	255/55R18	109V XL	1030	51	8.0	265	737	7.5	C	E	71	
19	55	255/50R19	107W XL	975	51	8.0	265	739	7.5	C	E	71	

A photograph of a car driving on a snowy road. The car is in the distance, kicking up a spray of snow. The road is dark and wet, with snow piled up on the sides. In the background, there are several evergreen trees covered in snow. The sky is overcast and snowy.

**ARMSTRONG
WINTER TYRES**

SKI-TRAC PC



***UPCOMING...**

SKI-TRAC PC / WINTER

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX/ SPEED SYMBOL
13	80	155/80R13	79T
	70	155/70R13	75T
	65	155/65R13	73T
14	70	165/70R14	81T
		175/70R14	84T
		155/65R14	75T
	65	165/65R14	79T
		175/65R14	82T
		185/60R14	82T
15	55	185/55R14	80H
		185/65R15	88T
		195/65R15	91T
	60	185/60R15	88H XL
		195/60R15	88T
		185/55R15	86H XL
	55	195/55R15	89H XL
		195/50R15	86H XL
		215/65R16	98H
16	60	205/60R16	92H
		215/60R16	99H XL
		195/55R16	87H
	55	205/55R16	91H

SKI-TRAC HP

SKI-TRAC HP / WINTER

RIM DIA	ASPECT RATIO	TYRE SIZE	LOAD INDEX/ SPEED SYMBOL
16	55	215/55R16	97H XL
	60	215/60R17	96H
		205/55R17	95H XL
17	55	215/55R17	98H XL
	225	225/55R17	101H XL
		205/50R17	93H XL
		225/50R17	98H XL
	45	225/45R17	94V XL
	45	245/45R18	100H XL
18	40	225/40R18	92H XL
		245/40R18	97H XL
19	45	245/45R19	102V XL



***UPCOMING...**



WWW.ARMSTRONGTYRES.COM

PHONE: +31 181 331444

ADDRESS: RAVENSEWEG 13M, 3223 LM,
HELLEVOETSLUIS, THE NETHERLANDS

EMAIL: HELLO@ARMSTRONGTYRES.COM

FACEBOOK/INSTAGRAM/TWITTER - @ARMSTRONGTYRES

